

FIG. 1




FIG 1




FIG 2


202

203

THE FASTENER FINDER™

Just touch any of the fasteners!

260



Bolts



Screws

264




Knock Down Furniture




Clips, Pins, Keys


Rings & Plugs




Nuts




Washers




Automotive



Wall Anchors



Rods & Shapes



Picture, Mirror Household Hooks



Hard-to-Find Fasteners

268

266

FIG 3



280

Bolts Main Page




FIG 4

206

Hex Bolts: **UNC Grade 2**


278

BACK


280

HOME


288



290



292



Hex Bolts: UNC Grade 2

UNC: Unified National Coarse Thread
Regular strength for everyday use.

Made from low carbon steel. No radial bar head marking.

Tensile Strength: up to 5/8" - 64,000 p.s.i. (min) 3/4" diameter up to 55,000 p.s.i. (min)

* Minimum thread length formula:

Bolts 6" or shorter - 2x diameter + 1/4"

Bolts longer than 6" - 2x diameter + 1/2"

* Note Actual thread length may be longer

Wrench sizes for Hex Heads


Bolt dia.	1/4	5/16	3/8	7/16	1/2	9/16	3/8	3/4
Wrench Size	7/16	1/2	9/16	5/8	3/4	7/16	15/16	1 1/8

282

SECTION **B** BIN COLOR

Yellow


284



287

You will find them in...

285



UNC Grade 2

UNC Grade 5

UNC Grade 8

UNC Stainless Steel

Metric Coarse

Metric Fine

Metric X-Fine

Brass

294

286

FIG 5




FIG 6

216

278

280



HOME

BACK

Carriage: Hot Dipped Galvanized

Lag Bolts:
Hot Dipped Galvanized:

Hot Dipped Galvanized provides one of the highest degrees of corrosion-resistance of all mechanically plated fasteners. Used predominately on pole hardware and all other exterior applications where prolonged exposure to the elements are present. Ideal for marine applications such as docks and piers as well as landscaping project including decks, fences, retaining walls, and more. Note: For Cedar or Redwoods we recommend Stainless Steel Fasteners.



282

You will find them in...


SECTION

D

BIN

COLOR

Blue



284

Plated Steel

Stainless Steel

Hot Dipped Galvanized

Duradized

302

FIG 7

Screws for Wood

Please touch any of the fasteners below... or a different category button











FIG 8

238

280

Bolts Main Page

HOME



**Concrete,
Brick
Block Anchors**

FIG 9




FIG 10

242

Hollow Wall Anchor

278



BACK

280

HOME

Hollow Wall Anchor

Hollow Wall Anchors or "Molly" anchors are designed to expand and grip as the screw is tightened in drywall or other hollow wall applications. These anchors are available in various wall thicknesses, therefore check size designation on the package. Once installed screw may be removed and re-installed as often as required. For drill type anchors, drill hole size slightly larger than anchor and install. For hammer-in type, simply install by tapping in with a hammer.



SECTION

U

LABEL

COLOR

Red

You will find them in...



320

PLAY

STOP

Installation Video Demonstration



310

316

318

FIG 11

246

Hard to Find Items


280


HOME

PART
'A'

326

PART
'B'





Knurled Nuts

Knurled Brass Nuts are used to attach diffuser shields on square recessed lighting fixtures found throughout many homes, recreation rooms, bathrooms and mobile homes. Knurled Nuts are also found on many electrical fixtures where the threaded stud is anchored in the junction box and the fixture is mounted over and through the studs. Knurled Nuts are hollow allowing adjustment anywhere along the tread of the stud.






FIG 13

252


Knurled Screws

278

BACK


280

HOME



Knurled Screws

Knurled Head Screws are available in either Brass or Chrome Plate Steel in various lengths. These screw are used predominately for attaching glass globes to light fixtures on Ceiling Fans, Bathroom, Kitchen and Bedroom lights as well as exterior lights. Knurled screws are installed or removed using finger pressure and can be used as decorative adjustment screws on a variety of other products.



SECTION

Yellow

LABEL COLOR

You will find them in...

FIG 14




FIG 15




FIG 16